



File Name: Crimestopper chx sp101 manual.pdf

Size: 3057 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 27 May 2019, 15:22 PM

Rating: 4.6/5 from 573 votes.

Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA
Privacy - Terms

Book Descriptions:

Crimestopper chx sp101 manual



Products Inc. This booklet contains the information necessary for installing, using, and maintaining your alarm. Tech Support number below. This installation book is designed for the installer or individual with an existing understanding of automotive. To ease installation, this book is provided as a. GENERAL GUIDELINE and the information contained herein may differ from your vehicle. Phone 800 9986880. Operation is subject to such modification. BAGS, ABS BRAKES, ENGINE COMPUTERS, BATTERY etc.. Test lights or illuminated DO NOT exceed maximum output ratings or damage may occur. Electrical current limits for this alarm are WE RECOMMEND that the MAIN SYSTEM FUSE be REMOVED before jump starting, using a battery. A voltage surge or high boost condition could damage alarm circuits. DO NOT ROUTE ANY WIRING THAT MAY BECOME ENTANGLED with brake, and gas pedals, steering. DO NOT Mount the control unit or wiring harness where they can become entangled with moving parts. The alarm control module should be mounted in a concealed location. The Placement of the module will. The antenna wire should be routed. Do not alter the length of the antenna wire or route it with other wires. Do. Fasten the module to a bracket or wire harness using the cable ties provided. Underdash Mounting If you are locating the control unit underdash, mount it as high as possible, not easily. Driver's Side Underdash mounting provides an easy location for wiring most of the system's connections. Passenger Side underdash is a good location, however some extra wiring may be needed to extend wires. The system's. Moisture or water damage is not covered under the warranty. Under seat or console mounting will create more difficulty if you need to. Use this location as a last resort. SHOCK SENSOR Mount the included shock sensor with wire ties to an under dash wire harness or fasten. Use the adjustment screw to set the sensitivity of the sensor. LED Mount the LED status indicator in a visible location on the dashboard or console. <http://www.gancza-yacht.pl/userfiles/foundation-of-geometry-solution-manual.xml>

- 1.0.



BEFORE INSTALLING THE STARTER DISABLE/KEYLESS ENTRY SYSTEM

- DO read through this installation manual.
- DO NOT install the control module in an engine compartment.
- The alarm may arm itself when power is first connected. This is a normal condition.

ITEMS SUPPLIED WITH THE STARTER DISABLE/KEYLESS ENTRY SYSTEM

- Receiver and control module
- Two 2-button or 3-button, code learning transmitters
- Door lock harness
- Vehicle override switch
- LED status indicator
- Wiring harness, fuseholder & fuse

OPTIONAL ACCESSORIES


- Backup battery..... **BWS-500**
- Remote starter..... **RAS-101**
- Trunk release..... **TR-100**
- Starter disable relay socket..... **BR3-003**
- (1) door lock trigger..... **BR-34516**
- Window roll up..... **WRM-3**
- Power door lock..... **PDL-10**
- Relay..... **LRPT**
- 5-wire door lock relay & socket..... **BR3-000F16**

SPECIFICATIONS

- Operating voltage..... +12 VDC Neg. Ground
- Cable length..... 3' Cable Max.
- Current consumption..... 3 mA (max) (standby)
- Door lock/unlock output..... (1) 300 mA
- Channel 2 output drive..... (1) 300 mA variable
- Remote control transmit frequency..... 310 MHz
- Transmit range..... 30 feet/10 m approx.
- Auxiliary output drive..... 300 mA maximum
- Flashing output drive..... (1) 250 mA 50 ms
- Door light output..... (1) 250 mA 30 ms

In this case you may need to run additional wires from other doors. One vehicle will not require the use of BOTH door trigger wires. Same as the GREEN wire above except this wire is used for vehicles that show a positive voltage 12 volts. Scrape away any paint or debris. Keep the ground wire short. GRAY WIRE AUX REMOTE OUTPUT 1 Optional, may require a relay. Connect to the Negative trunk release circuit or to the activation circuit of an auxiliary module or device. If the RELAY WIRING Connect the Gray wire to terminal 85, connect terminal 30 of the relay to the 12V positive. Input trigger for a grounding hood or trunk pin switch. Connect to existing hood and trunk pin switches that. If no existing switches are available, install new pin switches if desired. Note DO NOT mount new pin switches in water pathways. BROWN WHITE WIRE HORN PULSE OUTPUT Optional, may require a relay. Connect to the Negative Horn Trigger wire usually located near the steering column. If the vehicle horn circuit Connect terminal 30 of the relay to the 12V positive. This output is used for disabling the horn. Connect orange wire to 85. Connect to RED siren wire from the Siren in the engine compartment. WHITE WIRE Two 12V FLASHING LIGHT OUTPUTS 7.5 Amp x 2. Connect to the switched parking light wire at back of light switch. If this is not possible, connect directly to one. Some vehicles require separate right and left circuits. Use the RED WIRE 12V POWER INPUT 15 amp fuse. Recommended location for this connection is at the GREEN Wire Negative Trigger. WHITE Wire Negative Warning. BLACK Wire Sensor Ground. RED Wire Sensor 12V Power. After a few second delay, the unit will chirp and flash. You should get 2 light flashes indicating the unit. If all 3 codes are learned, Note 1 All transmitter codes must be learned at the time of programming. Any transmitters not present will. This system will learn a total of 3 transmitters max. The siren and horn will chirp for each button press.

<http://www.yesilalanlar.com/upload/foundation-engineering-design-manual.xml>



When you are finished customizing options, Pulse with trip Arm Disarm Chirps Door Open Warning. Active ReArm. Double Unlock Pulse. Disarm with trunk pop. Disable. Enable Carjack Feature. Parking Lights on with disarm. Passive Lock Disable Full Time To restore default values. See Programming Chart. The horn output pulses when triggered. If ON, arming will occur 40 Seconds after the The LED will begin flashing rapidly while counting The unit will Doors will lock if passive locking is selected. Factory default setting is ON. Note If you. Disarm System and ReEnter the vehicle, you must turn Ignition Key ON and OFF for Passive Arming This setting changes the delay time in which the alarm system begins to monitor the Door circuit. This option These systems are When the Option 7 is Controls the amount of time 0.75 sec. or 3 sec. for the Lock and Unlock Pulse. The 3 sec. setting may be This feature controls the type of Carjack protection the alarm will provide. There are 3 selections Button 1 Enable or Disable Carjack Turn ON or OFF with this option. This is for added security Light will stay on for 30 Sec. or until. Ignition is turned on. Note This feature may You will hear a single siren chirp and the The system will arm, the doors will lock and the The alarm status LED in the vehicle Only the lights will flash once. If a door is reopened, Doors will lock if the "Passive Locking" LED stops flashing. Doors will unlock and dome light will turn Only the lights will flash twice. This is handy if the vehicle is accidentally disarmed via the This feature can also be turned ON or OFF in programming To Disarm the Alarm when Open the door with the key, alarm will sound. Turn. The Alarm will disarm. VALET MODE Solid LED on Dash. To disable the Alarm system for vehicle service or otherwise, turn the ignition on and press the Lock Unlock and. AUX features will still operate in when in VALET mode. When the system is Carefully inspect your vehicle.

If the system detects a faulty or open zone Door left open when the system is ACTIVELY ARMED, the siren The faulty zone will be automatically bypassed. If a low level shock to the vehicle is detected, prewarning protection will activate sounding 5 quick siren chirps The sensor is also equipped with 2 small indicator lights to ease the Parking lights To reset Passive Carjack, IGNITION This feature provides fulltime Carjack protection and must be You must reset the unit every NOTE When FULL TIME CARJACK is in effect, it must be reset every time the key is turned on, Door It is always VALET SWITCH Mount the Valet Switch pushbutton on dash or other accessible location. It is REQUIRED WHITE Wire Negative Warn Away. RED Wire Sensor 12V Power. SHOCK SENSOR The sensor supplied with Trunk Pop Relay Brown. Factory Car Horn Purple.

Green Red Battery Yellow Orange. White. Starter. Kill Relay Ground NOTE This equipment has been tested and found to comply with the limits for a. Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are This equipment generates, uses and can radiate radio If this equipment does cause harmful interference to radio or television reception, PDF Version 1.6. Linearized Yes. XMP Toolkit 3.1702. Creator Tool pdfFactory www.pdffactory.com. Creator Administrator.

Document ID uuidab00ca5cd6bc4780be0f0988e94e06b6. Instance ID

uuid7c7357e2c402470e85c68238d4737db8. Producer pdfFactory 3.22 Windows XP Professional.

Page Count 17. Author Administrator. Please see compatible vehicles for list of compatible vehicles. Your vehicle may not be listed in the compatible vehicles however if the part number and fcc id number match your current remote then then it will work with your vehicle. If you have any questions please call 4026715100 There is some leg work you need to do before you purchase. Please read Read Before You Purchase tab above before you purchase. Please also note you will need to program the remote to your vehicle.

This can be done by researching the internet programming key fob or taking to your local dealership. Self programming is not difficult. Also note that most key fobs have some wear on them. Also, if there is a metal key, it is cut and a new metal key will need to be cut. Batteries sold separately. 100% Money Back Guarantee.If these numbers match what the remote you are purchasing then the remote will work with your vehicle. Some keyless entry remotes have these numbers on the inside of the remotes, so you will need to take the key fob apart. They should give them to you via fax, email, or have you pick them up. Step 2 You will need to program your remote to your vehicle.The steps to program the key fob to your vehicle can be very simple, however some remotes will require a dealer or locksmith to program them to your vehicle. They will charge you for this, so be prepared to spend extra money for programming. You can find many vehicles programming instructions online at programyourremote.com.If you do not see your vehicles key fob programming instructions there then give your local dealership a call, ask for service, then ask them for the key fob programming instructions for your vehicle. They will probably ask you for your vin number, so have that handy. Ask them if the key fobs are self programmable or do you have to have to have a machine to program it to your vehicle, this will let you know if you can program the key fob yourself or if you will have to pay the dealership or a locksmith to program the key fob to your vehicle. Step 3 Please note that the keyless entry remotes we sell are used. We do our best to show you the condition of the remote, however they are used and could have some wear and tear on them. For example, some of the buttons might have wear or not show the picture of a lock or unlock. The remotes are tested and are 100% working.

<http://coconutgroverestaurantnevis.com/images/community-service-policy-manual.pdf>

We have a 100% money back guarantee, if for any reason you need to return the item we will issue you a full refund less return shipping. Please also note that we do not guarantee the battery life of the remote. Some remotes will come with working batteries and some will come with nonworking or no batteries at all. If there is a metal key on the remote, the metal key will already be cut and will need to be replaced. You are purchasing the remote portion of the key fob in this case. Programming these fobs can be very simple. Click the programming instructions tab at the top of this page for free programming instructions. If you need help with programming just let us know and we can send you instructions. Please also note, some of the remotes, especially newer model vehicles, do require you to still go to the dealership for programming. If you have a newer model vehicle please consult your dealer for full programming instructions before you buy. For more information and our FAQ section click here Weve got your back. View cart for details. Learn more opens in a new window or tab Read item description or contact seller for shipping options. This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab The item may have some signs of cosmetic wear, but is fully This item may be a floor model or store return that has been used. See the seller's listing for full details and description of any imperfections.

<http://liftkos.com/images/commvault-commcell-manual.pdf>



Contact the seller opens in a new window or tab and request a shipping method to your location. Please enter a valid postal code. Please enter a number less than or equal to 1. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Hope this helps.BUZZ Login to post How do I repair When I try with the key, it starts up right away. Also, sometimes when I try to use the remote in the mornings, the car wont respond to it and I end up having to put it in valet mode and reprogramming the remote in order for it to start responding to the remote again. Answer questions, earn points and help others. Hope this helps.BUZZTheir contact and order information can be found at this link Crimestopper contact page The following 2 links will help you identify which remote you need. Remote chart by system number Remote identification by image Im not sure why, it just doesnt seem to work. I wonder if the circuit board isnt flexing a little bit, and that dislodges the battery retainer. The flexing, in turn, might also cause microscopic cracks in the circuit board which causes it to work intermittantly.Lights flash but car will not start. Any suggestions Thanks.Make sure you reconnect the factory wires and start over. Also check the ground for the alarm as it will draw current from what ever wire it can and cause all kinds of things.Stop by your nearest best buy, the guys in the install bay will probaly look up the info for you. I know I would at my shop.Answer questions, earn points and help others. Hay un error, intentalo de nuevo Aceptar Idioma actual LANG Espanol English Vender Lista de articulos que sigues Expandir Lista de favoritos Cargando. Inicia sesion para ver tu informacion de usuario. Algo salio mal. Revisa el carro de compras para mas detalles. Este monto esta sujeto a cambios hasta que efectues el pago.

Para obtener informacion adicional, consulta los terminos y condiciones del Programa de envios globales se abre en una nueva ventana o pestana Este monto esta sujeto a cambios hasta que efectues el pago. Si resides en un pais miembro de la Union Europea aparte del Reino Unido, los impuestos de importacion de esta compra no se pueden recuperar. Para obtener informacion adicional, consulta los terminos y condiciones del Programa de envios globales se abre en una nueva ventana o pestana Small Paint Chips missing from buttons This remote will " Small Paint Chips missing from buttons This remote will work with your vehicles aftermarket installed RKE remote keyless entry security system once programmed to your vehicles installed system.COMPATIBILITY To make sure this will work with your installed alarm keyless entry system answer the following questions1. Does one of the listed compatible systems in the DESCRIPTION match your RKE system. 2. Does it look like your current remote 3. Does it have the same color led light. INSTALLED RKE SYSTEM OPTIONS Aftermarket other options include Dealer Installed or Factory. The system will CHANGE the required remote. If you are unsure check the compatibility above. PROGRAMMING REQUIREMENTS Must be programmed to system to work with your vehicle. Please use your owners manual instructions that came with your system or contact your local qualified automotive locksmith.Stock photo. " Todos los derechos reservados. Condiciones de uso, Aviso de privacidad, cookies y AdChoice Norton Secured powered by Verisign. All items that we ship have a tracking number. If your tracking number is available, it can be found there. If there is no tracking number and you feel your item should have shipped already please let us know and we will assist. International Customers Import duties, taxes and charges are not included in the item price or shipping charges. These charges are the buyers responsibility.

<https://iamluno.com/wp-content/plugins/formcraft/file-upload/server/content/files/16287b13c41253---calderas-chaffoteaux-maury-manual.pdf>

These charges are normally collected by the delivering freight shipping company or when you pick the item up do not confuse them for additional shipping charges. All myGoods products are American wattage unless otherwise noted. Products can be used internationally with a power converter or adapter purchased separately.Please note You do not need to have a PayPal account to check out. Ebay will direct you to the PayPal payment page where you can then enter your credit

card information without requiring you to set up PayPal account. When checking out, please double check that the address you would like to have your order shipped to is the address showing as the ship to address. If you see a different address than the One you want your order to be shipped to, just edit the address to your desired ship to address. Return Policy We understand that returns and exchanges can often be a hassle. That is why we try to make things as easy as possible for our valued customers. We will gladly accept returns for refund or exchange within 30 days. Please contact us through the eBay messaging system to request return authorization for you order. Please include your ebay user ID in your email for reference. After 30 days you can use your manufactures warranty if one is included with the product purchased. Returns of nondefective products may be subject to a 20% restocking fee. Nondefective exchanges for different products than were originally purchased may also be subject to a 20% restocking fee. Nondefective products must be unopened to be eligible for return. For all returns the customer must assume shipping and handling costs back to our facility. All returns without the proper authorization from myGoods are subject to return to buyer. Please note Nondefective opened computer software and video game software may not be eligible for return. We will be sure to reply to your message in a timely manner. They are not included in the item price or stated shipping charges.

BAHETH24AQARI.COM/ckfinder/userfiles/files/83712a-manual.pdf

All returns require a return merchandise authorization RMA number. An RMA number must be issued within 30 calendar days after the date of purchase. An RMA number is valid for 14 calendar days after it is issued. Refunds A processing fee of 10 percent will apply to the value of merchandise returned for a refund. Refunds are applied to the payment method used at the time of purchase 510 days after our receipt of the returned merchandise. We will only refund the value of the merchandise returned, not the shipping cost. On items with free shipping returned for a refund, the original shipping cost that we paid the shipping courier will be deducted from your refund. Exchanges If you purchased a product that you wish to exchange for an alternate item, you can return the item for a refund and simply place a new order for the item you desire. We do not apply store credit to your new purchase. If we see a new purchase for equal or greater value of your return, we will waive the 10 percent processing fee. Defective Merchandise Merchandise that is discovered to be defective upon receipt will be replaced. You may also return defective merchandise for a refund; however, a 10 percent processing fee will apply. The processing fee will only apply if you choose to return the merchandise for a refund. No fee will be assessed if we are permitted to resolve the issue by replacing your defective merchandise. Damaged Merchandise All packages are inspected for damage prior to leaving our warehouse. You may also return damaged merchandise for a refund; however, a 10 percent processing fee will apply. No fee will be assessed if we are permitted to resolve the issue by replacing your damaged merchandise. Return Shipping Return shipping cost the cost to send merchandise back to our store is comparable to your cost of driving to any store for returning an item, which is not reimbursable. Therefore, we do not reimburse any return shipping cost.

If an item you received is defective, we will definitely replace the item with a new one; however, we do not cover or reimburse the shipping cost for returning defective merchandise back to our store. We will ship the replacement product to you at our cost, and use every good measure to ensure that the replacement order is processed quickly. Replacement Terms We will send a product replacement for an authorized return following the completion of receiving and inspection at our facility. The replacement will ship within four business days following our receipt of your return excluding weekends and national holidays. We do not send advance replacements or replacements before we receive and inspect the returned merchandise. To receive a replacement quicker, you may place a new order for the same item shipping not included, and we will issue a refund for the full value of the returned product including shipping, upon completion of our return process. Returning Items

Please send us a message through eBay or contact us by phone at 1877BUYSONIC 18772897664, MondayFriday, 700AM5PM Pacific Time to receive an RMA number. You will be required to complete our product return form which will also provide helpful instructions for your return. All returned merchandise must be in original condition, and must include the original factory box UPC bar codes and serial numbers must be intact and factory packaging e.g. foam, plastic, wrappings, etc., peripherals e.g. battery, charger, cords, straps, etc., included warranty cards without markings, and all instruction booklets and paperwork. The RMA number or any other inscriptions must not be written or printed on the product box or packaging. We will not process the return if any of these conditions are not followed.

To locate the nearest shipping outlet, you may contact the following carriers UPS 800 742587 or FedEx 800 4633339 or USPS Post Office 800 2758777 or Remember, returned merchandise that is lost or damaged during transit is solely the shippers responsibility which is you when you return a product to us. It is important to save the tracking information and to properly insure all merchandise being returned to Sonic Electronix. Return Exceptions Although our return policy is quite flexible on most items, there are some exceptions, as written below Any product not purchased from Sonic Electronix Any product without a valid, readable serial number, including but not limited to products with missing, damaged, altered, or otherwise unreadable serial number Any product that is returned without all original packaging and accessories, including the retail box, manuals, cables, and all other items originally included with the product Any product from which the UPC code has been removed from its packaging Any product that exhibits physical damage or abuse Any product for which you have submitted a mailin rebate Products that are not eligible for return for any of the above reasons will be sent back to you at your cost and expense. We will make every attempt to process and ship all items within 2 business days of your cleared payment. Following order processing, please allow proper time for delivery. UPS Ground shipments arrive within 37 business days. To provide the most affordable rates, small items shipped via Standard Flat Rate Shipping or USPS First Class Mail ship via a joint effort by DHL and USPS and are delivered within 710 days from the date of shipment. We will update your eBay record with tracking information and send an email confirming shipment. If 3 business days have passed since you sent payment and you do not receive an update through eBay or a tracking number via email, please contact us immediately through eBay or phone at 18772897664.

International customers are responsible for any and all customs, import duties, brokerage fees, and taxes. They are not included in the item price or stated shipping charges. If you need checkout assistance, please contact us during our business hours through eBay or phone Tollfree in USA 18772897664 or Outside the USA 6612579993. All trademarks and trade names are the property of their respective trademark holders. Prices, specifications, and images are subject to change without notice. Orders paid on Monday will ship Monday or Tuesday. Category Remote Entry System Kits Condition Used Location Wellsboro, PA, USA Feedback 11652 99.6% Brand Aftermarket Products Manufacturer Part Number M65NVTX602 Interchange Part Number CS865RKEII CS2002DC IV CS865RKEII CS2002DC IV Other Part Number CS2004 TW1 CS865RKEII, CS2002DC IV control key Surface Finish 6 BUTTONS CS865RKEII, CS2002DC IV. LAMP flash one time for code learn confirmation. Press the lock button on a second, third, or fourth remote at this time if needed. Turn the ignition off to end the programming. Note The system can learn up to 4 remotes. Payment We accept payment via PayPal or Credit Card. Please contact us via eBay messages for any questions concerning payments. Payment is expected within 5 days. Does this keyless remote entry come with a battery Yes. It will have a working battery installed. Battery Condition A. All remotes sold on Keyless4u include working batteries. B. Installed batteries are not tested for battery life they are simply working. Some are new and some are used. PA SALES TAX As per the State of PA Franchise Board we must collect sales tax from PA Residents for any purchase made from our store. Please contact us with questions via eBay messages keyless4u. Battery Condition A. All remotes sold on

Keyless4u include working batteries. B. Installed batteries are not tested for battery life they are simply working. Now Thats Fast! Thanks for looking and Please email any questions.

My name is Gary Keith Electronics is a Retail Store located in Downtown Lock Haven, PA. "Home of the Piper Cub". Category Remote Entry System Kits Condition Used Location Roslyn Heights, NY, USA Feedback 6905 99.7% Manufacturer Part Number FCCID J5523518T1 Brand CRIMESTOPPER 2Button Case Shell Warranty No This is for ONE USED CRIMESTOPPER 2BUTTON Remote Control Shell Case FCCID J5523518T1Replacement Case Shell for your CRIMESTOPPER car remote control CRIMESTOPPER ALARM KEYLESS ENTRY CASE SHELL This listing is for only one Shell Case with 2Button Rubber Pad. Please check the pictures to make sure this it the right Case for your remote control. Condition is Used. Only open, lock, and remote start buttons work. Hard to find replacement fob. Category Remote Entry System Kits Condition New Location USA Feedback 204 99.5% Brand Crimestopper Manufacturer Part Number RSTX4G5 Model RSTX4G5 UPC 048097203096 CRIMESTOPPER RSTX4G5 RS4 RS5 REPLACEMENT 5BUTTON REMOTE NEW!! Product InformationCRIMESTOPPER RSTX4G5 RS4 RS5 REPLACEMENT 5BUTTON REMOTEManufacturerCRIMESTOPPERManufacturer Part NumberRSTX4G5Brand NameCRIMESTOPPERProduct ModelRSTX4G5Product NameCRIMESTOPPER RSTX4G5 RS4 RS5 REPLACEMENT 5BUTTON REMOTEDescriptionIncludes Key Ring with Lobster ClaspWeight Approximate0.1 lb Our Policies Below you will find detailed descriptions of our policies. We encourage you to review our policies before making your purchase. Thank you OUR SHIPPING POLICY Free Shipping We provide free shipping to all 48 continental states. Free shipping does not include Alaska, Hawaii, Puerto Rico, Guam or Canada. International Shipping Our international customers may use a thirdparty carrier to handle their shipping. We recommend Bongo International. Please note that although we are responsible for getting your product from our warehouse to your carrier, any event that follow is the responsibility of the customer you and your thirdparty carrier.

You are responsible for hiring the thirdparty carrier and any transaction or agreement involves the customer you and the carrier, and does not include Audio Jam Inc. International customers are also solely responsible for any and all customs, import duties, brokerage fees, and taxes. Domestic Shipping We ship every business day that UPS and USPS are in operation. Any package exceeding one pound 1 lb. in weight will be shipped via UPS while any package less than one pound 1 lb. will be shipped via USPS. Any item purchased and paid for by 800am EST will typically be shipped on the same business day. Any item purchased and paid for after 800am EST will typically be shipped the next business day. Any item purchased and paid for after 800am EST Friday and through Sunday will be shipped on the next business day. Please note that we will only ship items to confirmed shipping addresses. Shipping Procedure and Overview After making your purchase and the ordering process is completed, please allow sufficient time for you order to be shipped and delivered to you. As noted above, domestic packages that weigh less than one pound 1 lb. will be shipped via USPS. All domestic packages that exceed one pound 1 lb. in weight will be shipped via UPS. If you have not received your tracking or shipping information please call us or email us. OUR RETURNS POLICY Damaged televisions and appliances must be refused upon delivery. Once refused, we'll ship you replacement merchandise at no cost to you. Nondamaged televisions and appliances may be returned within five business days for a credit less twoway shipping and 10% restocking fees. Damaged merchandise that are not televisions or appliances may be returned within one business day of receipt for an exchange. Nondamaged merchandise that are not televisions or appliances may be returned within five business days for a credit less twoway shipping. You may return your items for refund within 30 days of receipt of your shipment.